Printing date 18.01.2017 Revision: 18.01.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ARDAP Fogger Flea Fumigator
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Biocide - PT 18 Insecticide

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Quiko GmbH Heimtierprodukte

Franzstr. 95 D-46395 Bocholt

Tel.: +49 (0) 2871 -2487-0 | Fax: -66

Internet: www.quiko.de E-mail: info@quiko.de

Further information obtainable from:

Sales Department (via central phone number)

Tel.: +49 (0) 2871 -2487-0

· 1.4 Emergency telephone number:

Central phone number Tel.: +49 (0) 2871 -2487-0

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

302 GHS07

· Hazard-determining components of labelling:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane Propan-2-ol

· Hazard statements

· Signal word Danger

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P260 Do not breathe vapours/spray.

P211 Do not spray on an open flame or other ignition source.

P271 Use only outdoors or in a well-ventilated area.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.01.2017 Revision: 18.01.2017

Trade name: ARDAP Fogger (UK)

P312 Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents / container as special waste.

· Additional information:

Contains Permethrin (ISO), Limonene, Citral. May produce an allergic reaction. Without sufficient ventilation formation of explosive mixtures may be possible.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description:

Mixture of organic solvents, propellant (LPG), biocidal active ingredients, fragrance. contains: 1,0 g/kg Pyrethrines (from natural pyrethrum extract), 6.7 g/kg Permethrin; 0.4 g/kg Pyriproxyfen

Dangerous components:		
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27	isobutane (<0,1% butadiene) Flam. Gas 1, H220; Press. Gas C, H280	50-100%
EC number: 921-024-6 Reg.nr.: 01-2119475514-35-xxxx	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane ♦ Flam. Liq. 2, H225; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ↑ Skin Irrit. 2, H315; STOT SE 3, H336	2.5-<10%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	Propan-2-ol	2.5-<10%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43	ethanol Flam. Liq. 2, H225; Eye Irrit. 2, H319	2.5-<5%
CAS: 52645-53-1 EINECS: 258-067-9	Permethrin (ISO) Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317	0.67%
CAS: 138-86-3 EINECS: 205-341-0	Limonene Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Nkin Irrit. 2, H315; Skin Sens. 1, H317	0.25-<1%
CAS: 110-54-3 EINECS: 203-777-6	n-hexane Flam. Liq. 2, H225; Repr. 2, H361f; STOT RE 2, H373; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	<0.5%
CAS: 5392-40-5 EINECS: 226-394-6	Citral Skin Irrit. 2, H315; Skin Sens. 1, H317	0.1-<1%
CAS: 8003-34-7 EINECS: 232-319-8	Pyrethrins and Pyrethroids Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1%
CAS: 95737-68-1 ELINCS: 429-800-1	2-(1-methyl-2-(4-phenoxyphenoxy)ethoxy)pyridine Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.04%

· Additional information:

For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

Printing date 18.01.2017 Revision: 18.01.2017

Trade name: ARDAP Fogger (UK)

(Contd. of page 2)

EC-Numbers beginning with "9" are numbers given by ECHA for the purpose of registration according REACH. Eventually mentioned CAS-numbers valid for countries which are not subject to the REACH regulation or in regulations not yet updated with the new naming convention for hydrocarbon solvents.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Wash with water and soap
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

If product is swallowed (normally not possible) DO NOT induce vormiting. DANGER OF ASPIRATION. Search for medical help..

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Risk of bursting in case of fire heat
- · 5.3 Advice for firefighters
- · Protective equipment: Wear fully protective suit.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with skin / eyes and inhalation.

Keep sources of ignition (flames, sparks, etc.) away. Do not use engines near by (potential source og ignition) Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Open and handle receptacle with care.

Do not eat, drink or smoke when using the product.

Wash hands after using the product.

(Contd. on page 4)

Printing date 18.01.2017 Revision: 18.01.2017

Trade name: ARDAP Fogger (UK)

(Contd. of page 3)

· Information about fire - and explosion protection:

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

- Recommended storage temperature: 15 35 °C, max. 50 °C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane		
TWA (8H) (Great Britair	n) Long-term value: 1000 mg/m³, 250 ppm	
67-63-0 Propan-2-ol		
WEL (Great Britain)	Short-term value: 1250 mg/m³, 500 ppm	
	Long-term value: 999 mg/m³, 400 ppm	
64-17-5 ethanol		
WEL (Great Britain)	Long-term value: 1920 mg/m³, 1000 ppm	
110-54-3 n-hexane		
WEL (Great Britain)	Long-term value: 72 mg/m³, 20 ppm	
IOELV (EU)	Long-term value: 72 mg/m³, 20 ppm	

ν.	7 8 7 11			
· DNELs	·DNELs			
Hydrocarb	ons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5%	6 n-hexane		
Oral	DNEL Endverbraucher/ Consumers /Consommateur	699 mg/kg BW/ day (.)		
Dermal	DNEL - Endverbraucher/ Consumers /Consommateur	699 mg/kg BW /day (.)		
	DNEL Arbeiter / Workers/ Travailleur	773 mg/kg BW /day (.)		
Inhalative	DNEL Endverbraucher/ Consumers /Consommateur	608 mg/m3 (.)		
	DNEL Arbeiter / Workers/ Travailleur	2035 mg /m3 (.)		
67-63-0 Pr	67-63-0 Propan-2-ol			
Oral	DNEL Endverbraucher/ Consumers /Consommateur	26 mg/kg BW/ day (.)		
Dermal	DNEL - Endverbraucher/ Consumers /Consommateur	319 mg/kg BW /day (.)		
	DNEL Arbeiter / Workers/ Travailleur	888 mg/kg BW /day (.)		
Inhalative	DNEL Endverbraucher/ Consumers /Consommateur	89 mg /m3 (.)		
	DNEL Arbeiter / Workers/ Travailleur	500 mg/m3 (.)		

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls

Measurement of the concentration must be done in accordance with DIN EN 482 and DIN EN 689.

(Contd. on page 5)

Printing date 18.01.2017 Revision: 18.01.2017

Trade name: ARDAP Fogger (UK)

(Contd. of page 4)

· Personal protective equipment:

· General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

Keep away from foodstuffs, beverages and feed.

Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Recommended filter type: A

- · Protection of hands:
- · Material of gloves If contamination is possible, use gloves made of nitrile according EN 374
- · Penetration time of glove material > 480 min / 0,4 mm thickness
- · Eye protection: Safety glasses in case of spittings

9.1 Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	41
rorm: Colour:	Aerosol Colourless
Odour:	lemon-like
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	
	value concers to propellant
Flash point:	<-30 °C
	concerns to propellant
Flammability (solid, gas):	Not applicable.
Ignition temperature:	250 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Risk of bursting at temperatures > 50 °C. Damage of the contain may lead to the formation of explosive mixtures of gas/vapors wi air.
Explosion limits:	
Lower:	1 Vol %
Upper:	12 Vol %
Vapour pressure:	Not determined.
Pressure (20 °C)	2 - 4 bar
Density at 20 °C:	$0.60 - 0.61 \text{g/cm}^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.

-GB

Printing date 18.01.2017 Revision: 18.01.2017

Trade name: ARDAP Fogger (UK)

	(Contd.	of page 5
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	ca. 20 %	
VOC (EC)	99.00 %	
9.2 Other information	No further relevant information available.	
· Additional information	Vapors are heavier than air.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: Risk of bursting at temperatures >50 °C.
- · 10.3 Possibility of hazardous reactions

By use or incidental release the formation of explosive vapor/air mixtures is possible.

· 10.4 Conditions to avoid

Avoid the use in the near of ignition sources.

Temperatures >50 °C

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.
- · Additional information: Stable for a storage time of min. 24 months

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
75-28-5 isobutane (<0,1% butadiene)		
Inhalative	LC50/4 h	>20 mg/l (rat)
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane		
Oral	LD50	> 2000 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>25 mg/l (rat)
67-63-0 Pr	opan-2-ol	
Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)
64-17-5 eti	hanol	
Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4 h	20000 mg/l (rat)
52645-53-1 Permethrin (ISO)		
Inhalative	LC50/4 h	2.3 mg/l (rat)
5392-40-5	Citral	
Oral	LD50	4960 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation low
- · Serious eye damage/irritation low
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 18.01.2017 Revision: 18.01.2017

Trade name: ARDAP Fogger (UK)

(Contd. of page 6)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane

LC 50 / 96 h < 10 mg / l (fis)

64-17-5 ethanol

LC 50 / 96 h 8150 mg / l (gol)

8003-34-7 Pyrethrins and Pyrethroids

EC 50 / 48h | 0.012 mg / l (daphnia)

LC 50 / 96 h 0.0052 mg / l (Regenbogenforelle / Rainbow trout)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

empty cans: material recycling

filled cans: remove in accordance with local regulations

· European waste catalogue		waste catalogue
	16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
	16 05 00	gases in pressure containers and discarded chemicals
	16 05 04*	gases in pressure containers (including halons) containing hazardous substances

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

GB

Printing date 18.01.2017 Revision: 18.01.2017

Trade name: ARDAP Fogger (UK)

(Contd. of page 7)

SECTION 14: Transport informa	auon
14.1 UN-Number ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name ADR IMDG IATA	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS AEROSOLS (Permethrin (ISO)), MARINE POLLUTANT AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class Label	2 5F Gases. 2.1
<i>IMDG</i>	
Class Label	2.1 2.1
IATA	
Class Label	2.1 2.1
14.4 Packing group	2.1
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Product contains environmentally hazardous substance Permethrin (ISO)
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user Danger code (Kemler):	Warning: Gases.
EMS Number: Stowage Code	F-D,S-U SW1 Protected from sources of heat.
Sionage Coue	SW1 Frolected from Sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lith Category A. For AEROSOLS with a capacity above 1 lith Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litt Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capaca above 1 litre: Segregation as for the appropria subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.

Printing date 18.01.2017 Revision: 18.01.2017

Trade name: ARDAP Fogger (UK)

	(Contd. of page
14.7 Transport in bulk according to An	nex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
Remarks:	Transportation as "LIMITED QUANTITIES" according
	3.4 ADR is possible.
	Sole marking: Sign for "Limited Quantities" (rhomb
	with two black edges)
	Entry in the transportation document: Transportation
	according chapter 3.4 ADR
	Tunnel category "E" in case of a load of 8000 kg (rgroweight) or more.
	Hazardous goods under the transport regulations liste
	above may be subject to special regulations. For detail
	please consult the relevant transport regulations
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALL HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

E1 Hazardous to the Aquatic Environment

P3a FLAMMABLE AEROSOLS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

Class	Share in %
Ι	0.3
NK	20.6

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)

Printing date 18.01.2017 Revision: 18.01.2017

Trade name: ARDAP Fogger (UK)

(Contd. of page 9)

· Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H361f Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1: Flammable gases - Category 1

Aerosol 1: Aerosols - Category 1

Press. Gas C: Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* * Data compared to the previous version altered.