

Information sheet

according to article 32 of Regulation (EC) 1907/2006 (REACH)

Printing date 28.02.2024

Version number 1

Revision: 28.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name: **NAGTAG® BRODI 17 NAGERKÖDERBLOCK FLUO 100 G**

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

Ready for use rodenticide (biocidal product-PT14)

- 1.3 Details of the supplier of the information sheet

- Manufacturer/Supplier:

Zapi S.p.A.
Via Terza Strada, 12
35026 Conselve (PD) - Italy
Tel. +39 049 9597737 Fax +39 049 9597735

E-mail address of the competent person responsible for the information sheet: techdept@zapi.it

- Further information obtainable from: Tech. dept.

- **1.4 Emergency telephone number:** Zapi customer service (Tel. +39 049 9597737): 9:00-12:00 / 14:00-17:00
Giftnotruf Berlin 030 30686790 Beratung in Deutsch und English.

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 Not applicable

- Hazard pictograms Not applicable

- Signal word Not applicable

- Hazard statements Not applicable

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT:	
56073-10-0 brodifacoum	
PBT	Brodifacoum fulfils the P, B and T criteria.
- vPvB:	
56073-10-0 brodifacoum	
vPvB	Brodifacoum fulfils the vP criterion.

- Determination of endocrine-disrupting properties

The mixture does not contain substances with endocrine disrupting properties in concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- **Description:** Mixture of substances listed below with nonhazardous additions.

- Dangerous components:		
CAS: 56073-10-0 EINECS: 259-980-5 Index number: 607-172-00-1	brodifacoum Acute Tox. 1, H300 (ATE=0.4mg/kg bw); Acute Tox. 1, H310 (ATE=3.16mg/kg bw); Acute Tox. 1, H330 (ATE=3.05mg/m3); Repr. 1A, H360D; STOT RE 1, H372; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) Specific concentration limits: Repr. 1A; H360: C ≥ 0.003 % STOT RE 1; H372: C ≥ 0.02 % STOT RE 2; H373: 0.002 % ≤ C < 0.02 %	0.0017%

(Contd. on page 2)

Information sheet

according to article 32 of Regulation (EC) 1907/2006 (REACH)

Printing date 28.02.2024

Version number 1

Revision: 28.02.2024

Trade name: NAGTAG® BRODI 17 NAGERKÖDERBLOCK FLUO 100 G

(Contd. of page 1)

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information:

Please refer to the instructions below for each specific way of exposure.
If medical advice is needed, have product container or label at hand.

- **After inhalation:** Supply fresh air and to be sure call for a doctor.

- After skin contact:

Wash skin with water.
If symptoms occur call a poison centre or a doctor.

- After eye contact:

If symptoms occur rinse with water.
Remove contact lenses, if present and easy to do.
Call a poison centre or a doctor.

- After swallowing:

Rinse mouth.
If symptoms: Call 112/ambulance for medical assistance.
If no symptoms: call a poison centre or a doctor.
Information to Healthcare personnel/doctor: initiate life support measures if needed, thereafter call a POISON CENTRE.
Contact a veterinary surgeon in case of ingestion by a pet.

- 4.2 Most important symptoms and effects, both acute and delayed

This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine.
Antidote: Vitamin K1 administered by medical/veterinary personnel only.

- 4.3 Indication of any immediate medical attention and special treatment needed

The primary treatment are the antidote therapy and the clinical assessment. Antidote: Vitamin K1 (phytomenadione). The effectiveness of the treatment should be monitored by measuring the clotting time. Do not interrupt the treatment until the clotting time is back to normality and is stable.
Consult a Poison Control Centre.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** To our knowledge, there are no unsuitable equipments.

- 5.2 Special hazards arising from the substance or mixture

In case of fire, toxic gases may be generated.

- 5.3 Advice for firefighters

Firefighters equipment in accordance with EN469 European standards.

- Protective equipment:

Do not inhale explosion gases or combustion gases.
Firefighters equipment in accordance with EN469 European standards.

- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

Information sheet

according to article 32 of Regulation (EC) 1907/2006 (REACH)

Printing date 28.02.2024

Version number 1

Revision: 28.02.2024

Trade name: NAGTAG® BRODI 17 NAGERKÖDERBLOCK FLUO 100 G

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

After cleaning up, ensure adequate ventilation.

Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Do not smoke near the product.

When using the product, do not eat, drink or smoke.

Wash hands and directly exposed skin after using the product.

Place the product out of the reach of children, birds, pets and farm animals and other non-target animals.

Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.

Do not use the product close to surface waters (e.g. rivers, ponds, water channels, dykes, irrigation ditches).

When placing the product close to water drainage systems, ensure that bait contact with water is avoided.

- Information about fire - and explosion protection:

See Section 6.

See section 5.

- 7.2 Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles:

Store in a dry, cool and well ventilated place. Keep the container closed and away from direct sunlight.

Store in places prevented from the access of children, birds, pets and farm animals.

- Information about storage in one common storage facility:

Do not store near food, drink and feed.

Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.

- Further information about storage conditions:

Protect from frost.

Protect from humidity and water.

Protect from light.

Store the product at temperature below 35°C.

- 7.3 Specific end use(s) This product is a rodenticide bait for rodents' control.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any substances for which there are Union workplace exposure limits.

- PNECs		
56073-10-0 brodifacoum		
Oral	PNEC	0.0000128 mg/kg bw (bird)
		0.000011 mg/kg bw (mammal)
	PNEC	0.00004 mg/l (aquatic organisms)
		>0.0038 mg/l (microorganisms)
	PNEC	>0.88 mg/kg ww (soil)
- Other exposure limit values		
56073-10-0 brodifacoum		
AEL - long term		0.0000033 mg/kg bw/d

(Contd. on page 4)

Information sheet

according to article 32 of Regulation (EC) 1907/2006 (REACH)

Printing date 28.02.2024

Version number 1

Revision: 28.02.2024

Trade name: NAGTAG® BRODI 17 NAGERKÖDERBLOCK FLUO 100 G

(Contd. of page 3)

AEL - medium term	0.00000667 mg/kg bw/d
AEL - short term	0.0000033 mg/kg bw/d

- 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from food, drink and animal feedingstuffs.
Wash hands before breaks and at the end of work.
Do not eat, drink, smoke or sniff while working.
- **Respiratory protection:** Not required during normal use of the product.
- **Hand protection**



Professional use: wear protective chemical resistant gloves (EN 374) during product handling phase.

- Material of gloves

Glove materials: nitrile, polychloroprene (neoprene) or fluoroelastomer.
The thickness must, depending on the model and the type of fabric, generally be between 0.5 mm and 1.5 mm.

- Penetration time of glove material

The use of type B gloves, tested with minimum 3 substances (breakthrough time greater than 30 minutes according to EN 374) or higher is recommended.

WARNING:

When selecting specific gloves for use in particular applications and duration of use, other factors should be considered, such as (but not limited to): other chemicals handled, physical demands (cut/puncture protection, manual dexterity, thermal protection) possible body reactions to the glove material, as well as the instructions/specifications provided by the glove manufacturer.

- **Eye/face protection** Not required during normal use of the product.
- **Environmental exposure controls** See section 6.
- **Risk management measures** Follow the above-reported directions.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Physical state	Solid
- Colour:	Light red
- Odour:	Characteristic
- Odour threshold:	No data available.
- Melting point/freezing point:	No data available.
- Boiling point or initial boiling point and boiling range	Not applicable (solid).
- Flammability	Not flammable (EC 440/2008 No. A.10)
- Lower and upper explosion limit	
- Lower:	No data available.
- Upper:	No data available.
- Flash point:	Not applicable (solid).
- Ignition temperature:	No data available.
- Decomposition temperature:	No data available.
- pH at 20°C	6.6 (CIPAC MT 75.3 - 1% aq.)

(Contd. on page 5)

Information sheet

according to article 32 of Regulation (EC) 1907/2006 (REACH)

Printing date 28.02.2024

Version number 1

Revision: 28.02.2024

Trade name: **NAGTAG® BRODI 17 NAGERKÖDERBLOCK FLUO 100 G**

(Contd. of page 4)

- Viscosity:	
- Kinematic viscosity	Not applicable.
- Dynamic viscosity:	Not applicable.
- Solubility	
- water:	Insoluble.
- Partition coefficient n-octanol/water (log value)	No data available.
- Vapour pressure:	Not applicable.
- Density and/or relative density	
- Density:	No data available.
- Relative density at 20°C	1.1440 g/ml (EC 440/2008 No. A.3)
- Vapour density	Not applicable.
- Particle characteristics	No data available
- 9.2 Other information	
- Appearance:	No further relevant information available.
- Form:	Solid
- Information with regard to physical hazard classes	
- Explosives	Not explosive
- Flammable gases	Not applicable
- Aerosols	Not applicable
- Oxidising gases	Not applicable
- Gases under pressure	Not applicable
- Flammable liquids	Not applicable
- Flammable solids	Not flammable.
- Self-reactive substances and mixtures	Not self-reactive
- Pyrophoric liquids	Not applicable
- Pyrophoric solids	Not pyrophoric
- Self-heating substances and mixtures	Not self-heating
- Substances and mixtures, which emit flammable gases in contact with water	Not applicable
- Oxidising liquids	Not applicable
- Oxidising solids	Not oxidising
- Organic peroxides	Not applicable
- Corrosive to metals	Not applicable
- Desensitised explosives	Not applicable

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Under standard handling and storing conditions, the product does not show any dangerous reaction.
- **10.2 Chemical stability** Stable at room temperature and if used as recommended.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid**
Under standard handling and storing conditions, the product does not show any dangerous reaction.
- **10.5 Incompatible materials:**
Store only in original container.
Given the lack of information about possible incompatibilities with other substances, it is recommended not to use it in combination with other products.
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known under normal conditions of storage and use.

(Contd. on page 6)

Information sheet

according to article 32 of Regulation (EC) 1907/2006 (REACH)

Printing date 28.02.2024

Version number 1

Revision: 28.02.2024

Trade name: **NAGTAG® BRODI 17 NAGERKÖDERBLOCK FLUO 100 G**

(Contd. of page 4)

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- **Acute toxicity** Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

56073-10-0 brodifacoum

Oral	LD50	0.4 mg/kg bw (male rat and mouse)
Dermal	LD50	3.16 mg/kg bw (rat)
Inhalative	LC50/4h	3.05 mg/m ³ (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- Reproductive toxicity

Based on available data, the classification criteria are not met.

56073-10-0 brodifacoum

developmental toxicity	Clear developmental toxicity was not observed in rabbits or rats. However, as a precaution, Brodifacoum should be considered teratogenic to humans because it contains the same chemical moiety responsible for the teratogenicity of warfarin, a known human teratogenic agent, and it has the same mode of action that is a known mechanism of teratogenicity in humans.
------------------------	--

- **STOT-single exposure** Based on available data, the classification criteria are not met.

- STOT-repeated exposure

Based on available data, the classification criteria are not met.

56073-10-0 brodifacoum

Oral	NOAEL	0.04 mg/kg bw/d (rat) The study reveals that repeated oral exposure results in toxic effects: prothrombin time prolongation, kaolin-caphalin time prolongation, haemorrhage. Based on the results of the acute dermal and inhalation toxicity studies and route-to-route extrapolation, it is justified to assume a similar concern for serious damage to health by prolonged exposure through dermal and inhalation routes also.
------	-------	---

- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **Additional toxicological information:** No further relevant information available.

- 11.2 Information on other hazards

- Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in concentration equal to or greater than 0.1% by weight.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic and/or terrestrial toxicity:

56073-10-0 brodifacoum

LC50/14d	(eisenia foetida) >994 mg/kg dry weight >879.6 mg/kg wet weight
ErC50/72h	0.04 mg/l (selenastrum capricornutum)

(Contd. on page 7)

Information sheet

according to article 32 of Regulation (EC) 1907/2006 (REACH)

Printing date 28.02.2024

Version number 1

Revision: 28.02.2024

Trade name: NAGTAG® BRODI 17 NAGERKÖDERBLOCK FLUO 100 G

(Contd. of page 4)

EC10/3h	>0.058 mg/l (activated sludge) Based on water solubility at pH 7 and T=20°C.
EC10/6h	>0.0038 mg/l (pseudomonas putida) Based on water solubility at pH 5.2 and T=20°C.
LC50/96h	0.042 mg/l (oncorhynchus mykiss)
LC50 (diet)	0.72 mg/kg food (laughing gull)
NOEC (reproductive toxicity)	0.0038 mg/kg food (bird)
NOEL (reproductive toxicity)	0.000385 mg/kg bw/d (bird)
LD50	0.31 mg/kg bw (mallard duck)
EC50/48h	0.25 mg/l (daphnia magna)

- 12.2 Persistence and degradability

56073-10-0 brodifacoum

biodegradability	Not easily biodegradable. Brodifacoum will probably partition into sewage sludge/sediment due to its high log Kow and poor water solubility.
photolytic half-life	0.083 days. Degrades rapidly by photolysis.
Hydrolytic half-life	> 1 year. Stable at pH 5, 7 and 9.

- 12.3 Bioaccumulative potential

56073-10-0 brodifacoum

bioconcentration factor	BCF fish = 35645 (calculated according to TGD eq. 75, using log Kow = 6.12). BCF earthworm = 15820 (calculated according to TGD ed. 82d, using log Kow = 6.12).
octanol-water partition coefficient	log Kow = 6.12 (estimated from measured Koc).

- 12.4 Mobility in soil

56073-10-0 brodifacoum

DT50	157 days. Persistent.
organic carbon partition coefficient	Koc = 9155 l/kg (pH 7,1-7.6). Immobile in soil.
soil mobility	Under basic conditions (high pH), Brodifacoum is not likely to be adsorbed onto soils or sewage sludge due to the ionisation of the molecule. Under acidic conditions (low pH), Brodifacoum is likely to be adsorbed onto soils or sewage sludge as the molecule is in its neutral or non-ionised form.

- 12.5 Results of PBT and vPvB assessment

- PBT:

56073-10-0 brodifacoum

PBT	Brodifacoum fulfils the P, B and T criteria.
-----	--

- vPvB:

56073-10-0 brodifacoum

vPvB	Brodifacoum fulfils the vP criterion.
------	---------------------------------------

- 12.6 Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in concentration equal to or greater than 0.1% by weight.

- 12.7 Other adverse effects

56073-10-0 brodifacoum

.	The major environmental concern of Brodifacoum is primary and secondary poisoning of non-target animals.
---	--

- General notes:

Hazardous to wildlife.

Do not allow the product to reach ground water, water course or sewage system.

(Contd. on page 8)

Information sheet

according to article 32 of Regulation (EC) 1907/2006 (REACH)

Printing date 28.02.2024

Version number 1

Revision: 28.02.2024

Trade name: **NAGTAG® BRODI 17 NAGERKÖDERBLOCK FLUO 100 G**

(Contd. of page 4)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation

At the end of the treatment, dispose uneaten bait and the packaging in accordance with local requirements.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets, etc.) nor down the drains.

- Uncleaned packaging:

- **Recommendation:** Dispose of in accordance with local requirements.

SECTION 14: Transport information

- 14.1 UN number or ID number	
- ADR, IMDG, IATA	Not applicable
- 14.2 UN proper shipping name	
- ADR, IMDG, IATA	Not applicable
- 14.3 Transport hazard class(es)	
- ADR, ADN, IMDG, IATA	
- Class	Not applicable
- 14.4 Packing group	
- ADR, IMDG, IATA	Not applicable
- 14.5 Environmental hazards:	
	Not applicable.
- 14.6 Special precautions for user	
	Not applicable.
- 14.7 Maritime transport in bulk according to IMO instruments	
	Not applicable.
- UN "Model Regulation":	
	Not applicable

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **Seveso category** This product is not subject to Seveso directive dispositions.

- REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

The mixture does not contain substances identified as POP.

- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

The product does not contain any substance included in annex XIV.

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 30, 75

- **Regulation (EU) No 649/2012 (PIC)** There are no substances listed in this regulation.

- REGULATION (EU) 2019/1148 - Explosive precursors

The mixture does not contain explosives precursors in concentrations equal to or greater than 1%.

- **National regulations:** No further information available.

- **Other regulations, limitations and prohibitive regulations** No further information available.

- Substances of very high concern (SVHC) according to REACH, Article 59

The mixture does not contain SVHC substances in concentration equal to or greater than 0.1% by weight.

(Contd. on page 9)

Information sheet

according to article 32 of Regulation (EC) 1907/2006 (REACH)

Printing date 28.02.2024

Version number 1

Revision: 28.02.2024

Trade name: NAGTAG® BRODI 17 NAGERKÖDERBLOCK FLUO 100 G

(Contd. of page 9)

- Regulation (EC) n. 1005/2009: substances that deplete the ozone layer

The mixture does not contain substances that deplete the ozone layer.

- 15.2 Chemical safety assessment:

A Chemical Safety Assessment according to Regulation (EC) No. 1907/2006 has not been carried out for the mixture.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Any responsibility derived from misuse of the product or in case of violation of current regulations is refused.

- Relevant phrases

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H330 Fatal if inhaled.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- Classification according to Regulation (EC) No 1272/2008

Physico-chemical hazards: the classification of the mixture is based on the criteria established by annex I, part 2, of Regulation (EC) No. 1272/2008. If relevant, the methods are reported in section 9.

Health and environmental hazards: the classification of the mixture is based on the calculation method stated in annex I, parts 3 and 4, of Regulation (CE) No. 1272/2008, using components data.

- Abbreviations and acronyms:

RD50: Respiratory Decrease, 50 percent

LC0: Lethal concentration, 0 percent

NOEC: No Observed Effect Concentration

IC50: Inhibitory concentration, 50 percent

NOAEL: No Observed Adverse Effect Level

EC50: Effective concentration, 50 percent

EC10: Effective concentration, 10 percent

AEC: Acceptable Exposure Concentration

LL0: Lethal Load, 0 percent

AEL: Acceptable Exposure Limit

LL50: Lethal Load, 50 percent

EL0: Effective Load, 0 percent

EL50: Effective Load, 50 percent

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 1: Acute toxicity – Category 1

Repr. 1A: Reproductive toxicity – Category 1A

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

- References

- Biocidal Products Committee (BPC) opinion June 2016 on the active substance;

- Assessment Report on the active substance (available at ECHA website);

- Sources

1. The E-Pesticide Manual 2.1 Version (2001)

2. Regulation (EC) 1907/2006 and following amendments

3. Regulation (EC) 1272/2008 and following amendments

4. Regulation (EU) 2020/878

5. Regulation (EU) 528/2012

6. Regulation (EC) 790/2009 (1st ATP CLP)

7. Regulation (EU) 286/2011 (2nd ATP CLP)

8. Regulation (EU) 618/2012 (3rd ATP CLP)

(Contd. on page 10)

Information sheet

according to article 32 of Regulation (EC) 1907/2006 (REACH)

Printing date 28.02.2024

Version number 1

Revision: 28.02.2024

Trade name: NAGTAG® BRODI 17 NAGERKÖDERBLOCK FLUO 100 G

(Contd. of page 9)

9. Regulation (EU) 487/2013 (4th ATP CLP)
10. Regulation (EU) 944/2013 (5th ATP CLP)
11. Regulation (EU) 605/2014 (6th ATP CLP)
12. Regulation (EU) 2015/1221 (7th ATP CLP)
13. Regulation (EU) 2016/918 (8th ATP CLP)
14. Regulation (EU) 2016/1179 (9th ATP CLP)
15. Regulation (EU) 2017/776 (10th ATP CLP)
16. Regulation (EU) 2018/669 (11th ATP CLP)
17. Regulation (EU) 2019/521 (12th ATP CLP)
18. Regulation (EU) 2018/1480 (13th ATP CLP)
19. Regulation (EU) 2020/217 (14th ATP CLP)
20. Regulation (EU) 2020/1182 (15th ATP CLP)
21. Regulation (EU) 2021/643 (16th ATP CLP)
22. Regulation (EU) 2021/849 (17th ATP CLP)
23. Regulation (EU) 2022/692 (18th ATP CLP)
24. Directive 2012/18/EU (Seveso III)
25. ECHA web site